Problème JAVA Glisser-déposer

Console java :

Plug-in Java 10.67.2.01

Utilisation de la version JRE 1.7.0_67-b01 Java HotSpot(TM) 64-Bit Server VM

Répertoire de base de l'utilisateur = /Users/Lauzzo

----

c: effacer la fenêtre de la console

f: finaliser les objets de la file d'attente de finalisation

g: nettoyer la mémoire

h: afficher ce message d'aide

l: vider la liste des chargeurs de classes

m: imprimer le relevé d'utilisation de la mémoire

o: déclencher la journalisation

q: masquer la console

r: recharger la configuration des règles

s: vider les propriétés système et de déploiement

t: vider la liste des threads

v: vider la pile des threads

x: effacer le cache de chargeurs de classes

0-5: fixer le niveau de trace à <n>

Missing Application-Name manifest attribute for:
http://ged.ipgp.fr:8000/silverpeas/upload/wjhk.jupload.jar

Missing Permissions manifest attribute in main jar:
http://ged.ipgp.fr:8000/silverpeas/upload/wjhk.jupload.jar

Missing Permissions manifest attribute in main jar:
http://ged.ipgp.fr:8000/silverpeas/upload/wjhk.jupload.jar

java.lang.SecurityException - The applet must be signed (can't write in '/Users/Lauzzo')

java.lang.SecurityException: The applet must be signed (can't write in '/Users/Lauzzo')

at wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextApplet.java:93)

at wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

at wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

at java.awt.EventQueue.access$200(EventQueue.java:103)

at java.awt.EventQueue$3.run(EventQueue.java:694)

at java.awt.EventQueue$3.run(EventQueue.java:692)

at java.security.AccessController.doPrivileged(Native Method)

at java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

at java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242)

at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:154)

at java.awt.WaitDispatchSupport$2.run(WaitDispatchSupport.java:182)

at java.awt.WaitDispatchSupport$4.run(WaitDispatchSupport.java:221)

at java.security.AccessController.doPrivileged(Native Method)

at java.awt.WaitDispatchSupport.enter(WaitDispatchSupport.java:219)

at java.awt.Dialog.show(Dialog.java:1082)

at javax.swing.JOptionPane.showOptionDialog(JOptionPane.java:870)

at javax.swing.JOptionPane.showMessageDialog(JOptionPane.java:667)

at javax.swing.JOptionPane.showMessageDialog(JOptionPane.java:638)

at wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextApplet.java:120)

```
        at
wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

        at
wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

        at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

        at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

        at java.awt.EventQueue.access$200(EventQueue.java:103)

        at java.awt.EventQueue$3.run(EventQueue.java:694)

        at java.awt.EventQueue$3.run(EventQueue.java:692)

        at java.security.AccessController.doPrivileged(Native Method)

        at
java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

        at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

        at
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242
)

        at
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

        at
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThread.java:15
0)

        at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:146)

        at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:138)

        at java.awt.EventDispatchThread.run(EventDispatchThread.java:91)

java.lang.reflect.InvocationTargetException

        at java.awt.EventQueue.invokeAndWait(EventQueue.java:1276)

        at java.awt.EventQueue.invokeAndWait(EventQueue.java:1251)

        at javax.swing.SwingUtilities.invokeAndWait(SwingUtilities.java:1347)

        at wjhk.jupload2.JUploadApplet.init(JUploadApplet.java:79)

        at com.sun.deploy.uitoolkit.impl.awt.AWTAppletAdapter.init(Unknown Source)

        at sun.plugin2.applet.Plugin2Manager$AppletExecutionRunnable.run(Unknown
Source)

        at java.lang.Thread.run(Thread.java:745)
```

Caused by: java.lang.SecurityException: The applet must be signed (can't write in '/Users/Lauzzo')

        at wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextApplet.java:93)

        at wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

        at wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

        at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

        at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

        at java.awt.EventQueue.access$200(EventQueue.java:103)

        at java.awt.EventQueue$3.run(EventQueue.java:694)

        at java.awt.EventQueue$3.run(EventQueue.java:692)

        at java.security.AccessController.doPrivileged(Native Method)

        at java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

        at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

        at java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242)

        at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

        at java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:154)

        at java.awt.WaitDispatchSupport$2.run(WaitDispatchSupport.java:182)

        at java.awt.WaitDispatchSupport$4.run(WaitDispatchSupport.java:221)

        at java.security.AccessController.doPrivileged(Native Method)

        at java.awt.WaitDispatchSupport.enter(WaitDispatchSupport.java:219)

        at java.awt.Dialog.show(Dialog.java:1082)

        at javax.swing.JOptionPane.showOptionDialog(JOptionPane.java:870)

        at javax.swing.JOptionPane.showMessageDialog(JOptionPane.java:667)

        at javax.swing.JOptionPane.showMessageDialog(JOptionPane.java:638)

at
wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextAppl
et.java:120)

at
wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

at
wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

at java.awt.EventQueue.access$200(EventQueue.java:103)

at java.awt.EventQueue$3.run(EventQueue.java:694)

at java.awt.EventQueue$3.run(EventQueue.java:692)

at java.security.AccessController.doPrivileged(Native Method)

at
java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

at
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242
)

at
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

at
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThread.java:15
0)

at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:146)

at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:138)

at java.awt.EventDispatchThread.run(EventDispatchThread.java:91)

java.lang.SecurityException - The applet must be signed (can't write in '/Users/Lauzzo')

java.lang.SecurityException: The applet must be signed (can't write in '/Users/Lauzzo')

at
wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextAppl
et.java:93)

at
wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

at
wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

        at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

        at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

        at java.awt.EventQueue.access$200(EventQueue.java:103)

        at java.awt.EventQueue$3.run(EventQueue.java:694)

        at java.awt.EventQueue$3.run(EventQueue.java:692)

        at java.security.AccessController.doPrivileged(Native Method)

        at
java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

        at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

        at
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242
)

        at
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

        at
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThread.java:15
0)

        at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:146)

        at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:138)

        at java.awt.EventDispatchThread.run(EventDispatchThread.java:91)

java.lang.reflect.InvocationTargetException

        at java.awt.EventQueue.invokeAndWait(EventQueue.java:1276)

        at java.awt.EventQueue.invokeAndWait(EventQueue.java:1251)

        at javax.swing.SwingUtilities.invokeAndWait(SwingUtilities.java:1347)

        at wjhk.jupload2.JUploadApplet.init(JUploadApplet.java:79)

        at com.sun.deploy.uitoolkit.impl.awt.AWTAppletAdapter.init(Unknown Source)

        at sun.plugin2.applet.Plugin2Manager$AppletExecutionRunnable.run(Unknown
Source)

        at java.lang.Thread.run(Thread.java:745)

Caused by: java.lang.SecurityException: The applet must be signed (can't write in
'/Users/Lauzzo')

at
wjhk.jupload2.context.JUploadContextApplet.checkAppletIsSigned(JUploadContextAppl
et.java:93)

at
wjhk.jupload2.context.JUploadContextApplet.<init>(JUploadContextApplet.java:71)

at
wjhk.jupload2.JUploadApplet$1JUploadAppletInitializer.run(JUploadApplet.java:74)

at java.awt.event.InvocationEvent.dispatch(InvocationEvent.java:302)

at java.awt.EventQueue.dispatchEventImpl(EventQueue.java:733)

at java.awt.EventQueue.access$200(EventQueue.java:103)

at java.awt.EventQueue$3.run(EventQueue.java:694)

at java.awt.EventQueue$3.run(EventQueue.java:692)

at java.security.AccessController.doPrivileged(Native Method)

at
java.security.ProtectionDomain$1.doIntersectionPrivilege(ProtectionDomain.java:76)

at java.awt.EventQueue.dispatchEvent(EventQueue.java:703)

at
java.awt.EventDispatchThread.pumpOneEventForFilters(EventDispatchThread.java:242
)

at
java.awt.EventDispatchThread.pumpEventsForFilter(EventDispatchThread.java:161)

at
java.awt.EventDispatchThread.pumpEventsForHierarchy(EventDispatchThread.java:15
0)

at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:146)

at java.awt.EventDispatchThread.pumpEvents(EventDispatchThread.java:138)

at java.awt.EventDispatchThread.run(EventDispatchThread.java:91)